



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





NOTE:

NOTE:
1. APPLICATION: EXTRACTOR POWER T.O. SEAL.
2. REF. AGUSTA T/N: 332A93-3218-00.

 RED BARN MACHINE	
TITLE	
SLIP RING EXTRACTOR	
DWG NO.	RBE332A93-3218-00
REV	
MAT'L	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
XXX \pm .005	FRACTIONS \pm 1/32
XX \pm .01	ANGLES \pm .5°
X \pm .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: MARPET	
APPROVED 	
HEAT TREAT FINISH	
SPEC	
USED ON MODEL	
AS332	
SCALE	DATE
1:2	6/3/2013
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.




		REVISIONS		
REV		DESCRIPTION	DATE	INITIAL



 RED BARN MACHINE	
TITLE	SLIP RING EXTRACTOR
DWG NO.	RBE332A93-3218-00-1
MATL	4140 Q&T
UNLESS OTHERWISE SPECIFIED	DRAWN BY: MARPET
DIMENSIONS ARE IN INCHES	APPROVED <i>D. Weil</i>
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± .5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 X 45°	HEAT TREAT
OR .015R	FINISH CAD PLATE YELLOW
2. DIMENSIONAL LIMITS APPLY AFTER	SPEC QQ-P-416F, TYPE II, CLASS II
PLATING	USED ON MODEL
	AS332
SCALE	1:2
DATE	5/27/2013
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-3)

DISK

 RED BARN MACHINE

TITLE
SLIP RING EXTRACTOR

DWG NO. RBE332A93-3218-00-3 REV

MATL 4140 Q&T DRAWN BY: MARPET

APPROVED 

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/32

.XX ± .01 ANGLES ± .5°

.X ± .1

1. BREAK ALL SHARP EDGES .015 x 45°

OR .015R

2. DIMENSIONAL LIMITS APPLY AFTER

PLATING

HEAT TREAT FINISH CAD PLATE YELLOW

SPEC QQ-P-416F, TYPE II, CLASS II

USED ON MODEL

AS332

SCALE 1:2 DATE 6/3/2013 SHEET 3 OF 3